


5.4 Translations of Sine Functions

Recall the graph of $f(x) = \sin \theta$

5 Key points: $(0^\circ, 0)$ $(90^\circ, 1)$ $(180^\circ, 0)$ $(270^\circ, -1)$ $(360^\circ, 0)$

Extra Points: $(30^\circ, 0.5)$ $(150^\circ, 0.5)$ $(210^\circ, -0.5)$ $(330^\circ, -0.5)$



Translation of the sin Function

Nov 9-3:56 PM

The sine function may be transformed by introducing factors a , k , d , and c :

$$y = a \sin [k(x - d)] + c$$

Determines
Amplitude

Horizontal
translation

Determines
Period

Vertical
translation


360°

Nov 9-3:56 PM

5.4 Translations of Sine Functions

Ex 1: Vertical Translations

a) Graph $y = \sin x - 2$ as a transformation of the function $y = \sin x$, for one full cycle.



b) What are the domain and the range of the new function?

$$D = \{x \mid 0^\circ \leq x \leq 360^\circ, x \in \mathbb{R}\}$$

$$R = \{y \mid -3 \leq y \leq -1, y \in \mathbb{R}\}$$


c) State the: equation of the axis $y = -2$ amplitude 1 period 360°

Apr 19-7:00 AM

Ex 2: Horizontal translations:

a) Graph $f(x) = \sin(x - 60)$ as a transformation of the function $f(x) = \sin x$,

move right



b) What are the domain and the range of the new function?

$$D = \{x \mid 60^\circ \leq x \leq 420^\circ, x \in \mathbb{R}\}$$

$$R = \{y \mid -1 \leq y \leq 1, y \in \mathbb{R}\}$$

c) State the:

• equation of the axis $y = 0$


• amplitude 1

• period 360°

Apr 19-7:16 AM

Ex 3: Combination of horizontal and vertical translations

a) Graph the function $f(x) = \sin(x - 45^\circ) + 3$ transform the function $f(x) = \sin x$,



b) What are the domain and the range of the new function?

$$D = \{x \mid 45^\circ \leq x \leq 405^\circ, x \in \mathbb{R}\}$$

$$R = \{y \mid 2 \leq y \leq 4, y \in \mathbb{R}\}$$

c) State the equation of the axis, amplitude, and the period of the new function

$$\underbrace{y = 3}_{\text{axis}} \quad \underbrace{1}_{\text{amplitude}} \quad \underbrace{360^\circ}_{\text{period}}$$

Apr 19-7:29 AM

Ex 4: Creating an equation from the description of transformations:

a) The graph of $y = \sin x$ has been translated:

-to the right 30°

-up 5 units.

Write the new equation: $y = \sin(x - 30^\circ) + 5$

b) The graph of $y = \sin x$ has been translated:

-to the right 73°

-down 3 units.

Write the new equation: $y = \sin(x - 73^\circ) - 3$

c) The graph of $y = \sin x$ has been translated:

-to the left 20°

-up 3 units.

Write the new equation: $y = \sin(x + 20^\circ) + 3$

Apr 19-7:36 AM

d) The graph of $y=\sin x$ has been translated:

-to the left 0°

-down 6 units.

Write the new equation: $y = \sin x - 6$

e) The graph of $y=\sin x$ has been translated:

-to the right 90°

-down 12 units.

Write the new equation: $y = \sin(x - 90^\circ) - 12$

f) The graph of $y=\sin x$ has been translated:

-to the left 2°

-up 0.5 units.

Write the new equation: $y = \sin(x + 2^\circ) + 0.5$

Apr 19-7:36 AM

Hmwk:

p365

1, 3, 4 cd, 5cd, 8, 10, 12, 14, 16

Nov 9-4:18 PM

unwind unit and transformwaves.GSP